

Message

From: Rogers, Rick [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=BCE033A9EDE7409D944D8AE868394548-RR0GER04]
Sent: 1/7/2021 12:41:33 PM
To: Armstrong, Joan [Armstrong.Joan@epa.gov]
CC: Henry, JeannaR [Henry.Jeannar@epa.gov]; Zedella, Leah [Zedella.Leah@epa.gov]
Subject: RE: - Chemours/Dupont

Oops. Sorry, I left out that detail. Yes, it is an order specifically related to the Chemours Washington Works Plant in Parkersburg, WV.

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Armstrong, Joan <Armstrong.Joan@epa.gov>
Sent: Thursday, January 07, 2021 7:11 AM
To: Rogers, Rick <rogers.rick@epa.gov>
Cc: Henry, JeannaR <Henry.Jeannar@epa.gov>; Zedella, Leah <Zedella.Leah@epa.gov>
Subject: RE: - Chemours/Dupont

Is this AO connected to specific facilities in WV?

Joan Armstrong, Deputy Director
Enforcement & Compliance Assurance Division (3ED00)
U.S. EPA – Region 3
1650 Arch Street
Philadelphia, PA 19103
215-814-3155
armstrong.joan@epa.gov

From: Rogers, Rick <rogers.rick@epa.gov>
Sent: Wednesday, January 06, 2021 5:15 PM
To: Armstrong, Joan <Armstrong.Joan@epa.gov>
Cc: Henry, JeannaR <Henry.Jeannar@epa.gov>; Zedella, Leah <Zedella.Leah@epa.gov>
Subject: RE: - Chemours/Dupont

Joan,

We (R3 and R5) have an active, long-standing SDWA emergency administrative order on consent with Chemours (it originally was with DuPont) for PFOA contamination of

public and private water supplies in WV and OH. The order requires monitoring of public and private wells, provision of a safe, alternate supply of drinking water should the monitoring indicate that PFOA concentrations exceed the long-term health advisory level (HAL). To date, DuPont and now Chemours installed hundreds of treatment systems on public and private water wells in WV and OH. Chemours is responsible for maintenance of these systems until concentrations of PFOA drop below the HAL. That could literally last for decades. Chemours is still doing step-out monitoring to find the end of the ground water plume that exceeds the HAL. At EPA's request, Chemours agreed to begin monitoring for GenX in some public and private wells due to concerns over release of GenX, which was the replacement chemical for PFOA in their manufacture of Teflon.

We have tons of monitoring data from the public and private well monitoring.

Rick

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Armstrong, Joan <Armstrong.Joan@epa.gov>
Sent: Wednesday, January 06, 2021 4:11 PM
To: R3 ECAD_MGRs <R3_ECAD_MGRs@epa.gov>
Subject: - Chemours/Dupont

Hi Folks,

I've been asked to provide information on any involvement we may have with any of the following facilities. I've asked Moshood and Deb to do a compliance check from our various databases, but I wanted to check in with you to see if Ex. 5 AC/AWP/DP
Ex. 5 AC/AWP/DP If you could let me know by next Tuesday 1/12, I'd appreciate it.

Joan

Joan Armstrong, Deputy Director
Enforcement & Compliance Assurance Division (3ED00)
U.S. EPA – Region 3
1650 Arch Street
Philadelphia, PA 19103
215-814-3155
armstrong.joan@epa.gov

From: Armstrong, Joan
Sent: Wednesday, January 06, 2021 11:00 AM
To: Deborah Goldblum <Goldblum.Deborah@epa.gov>; Oduwole, Moshood <Oduwole.Moshood@epa.gov>
Cc: Melvin, Karen <Melvin.Karen@epa.gov>
Subject: Compliance determination- Chemours/Dupont

Hi Deb and Moshood,

Can you do a compliance check on the following facilities? I believe Makeba Morris will know what to do for these compliance checks. I don't have a deadline yet, I just asked Linda when she needs to the info by. As soon as she let's me know – I will forward to you.

Region 3

Ex. 5 Deliberative Process (DP)

4. **Washington Works, WV** (Chemours, New DuPont)

Ex. 5 Deliberative Process (DP)

Thanks,
Joan

Joan Armstrong, Deputy Director
Enforcement & Compliance Assurance Division (3ED00)
U.S. EPA – Region 3
1650 Arch Street
Philadelphia, PA 19103
215-814-3155
armstrong.joan@epa.gov

From: Dietz, Linda <Dietz.Linda@epa.gov>
Sent: Wednesday, January 06, 2021 10:11 AM
To: Gillespie-Marthaler, Leslie <GillespieMarthaler.Leslie@epa.gov>; Armstrong, Joan <Armstrong.Joan@epa.gov>
Cc: Dunn, Michael <dunn.michael@epa.gov>; Driscoll, Stacie <Driscoll.Stacie@epa.gov>; Rodrigues, Cecil <rodrigues.cecil@epa.gov>
Subject: FW: Discussion Regarding PA/SIs at Chemours and DuPont facilities in Regions 1-7

I already sent this to LCRD. Are you aware of any involvement at these facilities ?

Region 3

Ex. 5 Deliberative Process (DP)

4. **Washington Works, WV** (Chemours, New DuPont)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Linda Dietz, Deputy Director
Superfund and Emergency Management Division (SEMD)
EPA Region 3
215-814-3195 (desk)
215-892-8261 (cell)
Dietz.linda@epa.gov

From: Leonard, Paul <leonard.paul@epa.gov>
Sent: Wednesday, January 6, 2021 9:49 AM
To: Dietz, Linda <Dietz.Linda@epa.gov>; Rodrigues, Cecil <rodrigues.cecil@epa.gov>
Subject: FW: Discussion Regarding PA/SIs at Chemours and DuPont facilities in Regions 1-7

I think we should identify a SEMD and ORC POC

Paul Leonard, Director
Superfund and Emergency
Management Division
USEPA Region 3
Philadelphia, PA 19103
215 814 3350
Leonard.paul@epa.gov



From: Mackey, Cyndy <Mackey.Cyndy@epa.gov>
Sent: Tuesday, January 05, 2021 8:59 AM
To: Olson, Bryan <Olson.Bryan@epa.gov>; Evangelista, Pat <Evangelista.Pat@epa.gov>; Leonard, Paul <leonard.paul@epa.gov>; Monell, Carol <Monell.Carol@epa.gov>; Stenger, Wren <stenger.wren@epa.gov>; Ballotti, Doug <ballotti.douglas@epa.gov>; Peterson, Mary <Peterson.Mary@epa.gov>; Dierker, Carl <Dierker.Carl@epa.gov>; Humphrey, Leslie <Humphrey.Leslie@epa.gov>; McGuire, James <McGuire.James@epa.gov>; Nelson, Leverett <nelson.leverett@epa.gov>; Palmer, Leif <Palmer.Leif@epa.gov>; Rodrigues, Cecil <rodrigues.cecil@epa.gov>; Schaaf, Eric <Schaaf.Eric@epa.gov>; Zucker, Audrey <Zucker.Audrey@epa.gov>; Lieber, Thomas <Lieber.Thomas@epa.gov>; Flanagan, Sarah <Flanagan.Sarah@epa.gov>; Briggs-Steuteville, Sheila <Briggs-Steuteville.Sheila@epa.gov>; Nishitani, Brian <nishitani.brian@epa.gov>; Parent, Suzanne <Parent.Suzanne@epa.gov>; Clay, David <Clay.David@epa.gov>; Johnson, MaryC <Johnson.MaryC@epa.gov>; Kyte, Larry <kyte.larry@epa.gov>; Chiang, I-Jung <chiang.i-jung@epa.gov>; Hoefer, David <Hoefer.David@epa.gov>
Cc: Healy, Helena <Healy.Helena@epa.gov>; Steiner-Riley, Cara <Steiner-Riley.Cara@epa.gov>; Hanselman, Erik <Hanselman.Erik@epa.gov>; DeLeon, Rafael <DeLeon.Rafael@epa.gov>; Gardner, Monica <Gardner.Monica@epa.gov>; Patterson, Kenneth <Patterson.Kenneth@epa.gov>; Stalcup, Dana <Stalcup.Dana@epa.gov>; Ammon, Doug <Ammon.Doug@epa.gov>
Subject: Discussion Regarding PA/SIs at Chemours and DuPont facilities in Regions 1-7

Happy New Year Superfund Division Directors and Regional Counsel Colleagues:

As discussed at the Superfund Division Director Meeting on December 3, 2020, OSRE would like to gather more data and information on environmental contamination at and around facilities historically or currently owned and/or operated by the following entities: The Chemours Company (Chemours), E.I DuPont de Nemours and Company (Old DuPont), Corteva, Inc. (Corteva), and DuPont de Nemours, Inc. (New DuPont). EPA is seeking this information now so that we can be prepared for a possible

Ex. 5 AC/AWP/DP

Ex. 5 AC/AWP/DP

Ex. 5 AC/AWP/DP

Ex. 5 AC/AWP/DP

OSRE will be setting up meetings with your Region to discuss the facility or facilities in your Region (see attached list) and the concerns and/or questions you may have about conducting a PA/SI at the facility or facilities at this time. **Please send a point of contact to Helena Healy, PPED Deputy Director**, so we may set up a meeting with me this month. In the interim, my staff is also available to answer questions you may have about the companies, financial transactions, and/or facilities. Please contact Helena Healy, Cara Steiner-Riley or Erik Hanselman with your questions. Thank you in advance.

Cyndy Mackey

Director, Office of Site Remediation Enforcement

EPA-Office of Enforcement and Compliance Assurance (Mail Code-2271A)

1200 Pennsylvania Ave., N.W. (Room-WJC 5206) Washington, DC 20460

202 564-8206 (Direct Line)

202 564-5110 (Office Line)

202 591-6184 (Office Cell)

This email is for the intended recipient only and may contain material that is privileged and/or confidential. If you believe you have received this email in error, please notify the sender. Thank you